

In the claims:

Please delete claims 2 and 3.

40 Please amend claim 66 as follows:

66. (currently amended) A transdermal composition as in claim 65, further comprising an anti-inflammatory, wherein said anti-inflammatory is ibuprofen between 15% by weight and 22% by weight, preferably 20% by weight.

45 Please add claims 68-83:

68. (new) A transdermal composition for the relief of pain in a subject comprising:
amitriptyline in amount between 2% and 4% by weight, clonidine in amount between 0.2% and 0.5% by weight, ketamine in an amount
50 between 5% and 20% by weight, an anti-inflammatory, wherein said anti-inflammatory is ketoprofen in an amount between 2% and 6% by weight and a base.

69. (new) A transdermal composition as in claim 68, wherein said clonidine is about 0.5% by weight.

70. (new) A transdermal composition as in claim 68, further comprising gabapentin.

71. (new) A transdermal composition as in claim 70, wherein said gabapentin is between 5% and 15% by weight, preferably 5%.

72. (new) A transdermal composition as in claim 68, wherein said ketamine is about 15% by weight.

73. (new) A transdermal composition as in claim 68, wherein said ketoprofen is about 5% by weight.

74. (new) A transdermal composition for the relief of pain in a subject comprising:

amitriptyline in an amount about 4% by weight, clonidine in an amount about 0.5% by weight, gabapentin in an amount about 5% by weight, ketamine in an amount about 15% by weight, an anti-inflammatory, wherein said anti-inflammatory is ketoprofen in an amount about 5% by weight and a base.

75. (new) A transdermal composition for the relief of pain in a subject comprising:

amitriptyline in amount between 2% and 4% by weight, clonidine in amount between 0.2% and 0.5% by weight, gabapentin in an amount between 5% and 15% by weight, ketamine in an amount between 5% and 20% by weight, an anti-inflammatory, wherein said anti-inflammatory is ketoprofen in an amount between 2% and 6% by weight and a base.

76. (new) A transdermal composition as in claim 75, wherein said clonidine is about 0.5% by weight.

77. (new) A transdermal composition as in claim 75, wherein said gabapentin is about 5% by weight.

78. (new) A transdermal composition as in claim 75, wherein said ketamine is about 15% by weight.

79. (new) A transdermal composition as in claim 75, wherein said ketoprofen is about 5% by weight.

80. (new) A transdermal composition for the relief of pain in a subject comprising: 4% by weight amitriptyline, 0.5% by weight clonidine, 15% by weight ketamine, 5% by weight ketoprofen and an anti-inflammatory in a base.

81. (new) A transdermal composition as in claim 80, wherein said anti-inflammatory is ibuprofen between 15% by weight and 22% by weight, preferably 20% by weight.

82. (new) A transdermal composition as in claim 80, further comprising 5% by weight gabapentin.

83. (new) A transdermal composition for the relief of pain in a subject comprising: 4% by weight amitriptyline, 0.5% by weight clonidine, 5% by weight gabapentin, 15% by weight ketamine, 5% by weight ketoprofen and an anti-inflammatory, wherein said anti-inflammatory is 20% by weight ibuprofen in a
5 base.